

To: Enck, Judith[Enck.Judith@epa.gov]; Simon, Paul[Simon.Paul@epa.gov]
Cc: Richard J. Zahnleuter (richard.zahnleuter@health.ny.gov)[richard.zahnleuter@health.ny.gov];
'Thomas Ulasewicz'[TAU@fmbf-law.com]; Edelstein, David F.[dedelstein@archerlaw.com]
From: Gibson, Christopher
Sent: Mon 1/4/2016 9:41:18 PM
[letter to j.enck-c.pdf](#)

Dear Ms. Enck and Mr. Simon:

Attached is a letter from Saint-Gobain Performance Plastics (SGPP) regarding the situation with the public water supply in the Village of Hoosick Falls and, specifically, what SGPP, the DOH and the Village have been doing to address this situation. SGPP requests the opportunity to meet with Region 2 prior to EPA's public meeting on January 14 in the Village. Thank you and Happy New Year.

Christopher R. Gibson, Esq.

One Centennial Square
Haddonfield, NJ 08033
Direct Dial: 856-354-3077
Fax: 856-673-7077
cgibson@archerlaw.com
www.archerlaw.com

Archer & Greiner, P.C.
Attorneys at Law

INFORMATION CONTAINED IN THIS E-MAIL TRANSMISSION IS PRIVILEGED AND CONFIDENTIAL. IF YOU ARE NOT THE INTENDED RECIPIENT OF THIS EMAIL, DO NOT READ, DISTRIBUTE OR REPRODUCE THIS TRANSMISSION (INCLUDING ANY ATTACHMENTS). IF YOU HAVE RECEIVED THIS E-MAIL IN ERROR, PLEASE IMMEDIATELY NOTIFY THE SENDER BY TELEPHONE OR EMAIL REPLY.